Safe	ety Data Sheet in Acc	ordance with regul	ation 2015/830	Page 1 of 6
	of issue: 28.08.2019 Replaces Date to previou		le; n.av. = not available	ceragol
	ION 1: Identification of the su	bstance/mixture and of th	e company/undertaking	
1.1	Product identifier Trade Name: Article No.: Preparation No.: Registration No.:	ceragol Ultra® Pror A08018741 / A080 004-3 n.ap.	nto CremaClean 13272 / A08013289	
1.2 1.3 1.3.1	Relevant identified uses of th Identified uses: cleaning agent Details of the supplier of the Address of the Company / Su	e substance or mixture and u safety data sheet pplier:	-	
1.3.2		ceragol international GmbH, Grundstrasse 41, 8196 Wil, Switzerland Telephone: +41 (0)44 879 16 31, Telefax: +41 (0)44 879 16 32, E-Mail: safety@ceragol.com Responsible for the data sheet:		
1.4	CoSiChem AG, Ernst-Lemmer- Emergency telephone number	Straße 23, 35041 Marburg, inf r	-	
	Emergency - Telephone of Cor Telephone: +41 (0)44 879 16 31 (8		National Poisons II Telephone: +44 121 \$	nformation Service 507 4123
	ION 2: Hazards identification			
2.1 x 2.2	Classification of the substand Skin Irrit. 2; H315 / Eye Irrit. 2; Label elements	H319		
k	Classification according to 12 Applicable Exemptions: Yes.	72/2008/EC: Yes.	*! logord pi	ata gram (a):
	Signal word(s): Warning Component(s):		n−azaru pi	ctogram(s):
k	H - Phrases: H315: Causes skin irritation. H319: Causes serious eye irrita	ation.		
*	 P - Phrases: P102: Keep out of reach of children. P101: If medical advice is needed, have product container or label at hand. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352: IF ON SKIN: Wash with plenty of water/ P332+P313: If skin irritation occurs: Get medical advice/attention. 			
	Additional Markings:			
2.3	Other hazards This mixture contains no subs	tances which are assessed to	be PBT or vPvB.	

Page 2 of 6

Trade Name: ceragol Ultra® Pronto CremaClean Company / Supplier: ceragol international GmbH, Grundstrasse 41, 8196 Wil, Switzerland Telephone: +41 (0)44 879 16 31, Date of issue: 28.08.2019 Replaces Data Sheet of: 14.08.2019 SECTION 3: Composition/information on ingredients Substances 3.1 n.ap. 3.2 **Mixtures Chemical Characterisation:** Aqueous surfactant solution. alkaline **Dangerous Ingredients:** Material m% - range CAS - No. Index - No. EC - No. REACH - No. Hazard Code(s) / H - phrases 0,5 - 2% Potassium hydroxide 1310-58-3 019-002-00-8 215-181-3 01-2119487136-33-xxxx Acute Tox. 4; H302 / Skin Corr. 1A; H314 Octanoic acid, compound with 2-aminoethanol (1:1) 1 - 5% 248-838-8 28098-03-5 n.a. n.v. Skin Irrit. 2; H315 / Eye Irrit. 2; H319 Text of H - phrases: see section 16 m% - range: $x - y \triangleq x \ge - < y$ SECTION 4: First aid measures 4.1 Description of first aid measures 4.1.1 Inhalation: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. 4.1.2 Skin Contact: Rinse with water. If skin irritation persists, call a physician. 4.1.3 Eve Contact: In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist. 4.1.4 Ingestion: Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting. Call a physician immediately. Show this safety data sheet to the doctor in attendance. Most important symptoms and effects, both acute and delayed 4.2 Ingestion may cause nausea, vomiting, sore throat, stomach-ache and eventually lead to a perforation of the intestine. Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance. Causes skin irritation. Causes serious eye irritation. Indication of any immediate medical attention and special treatment needed 4.3 Treat symptomatically. SECTION 5: Firefighting measures Extinguishing media 5.1 5.1.1 Suitable Extinguishing Media: Use dry chemical, CO₂, water spray or "alcohol" foam. 5.1.2 **Extinguishing Media to Avoid:** None. 5.2 Special hazards arising from the substance or mixture In the event of fire the following can be released: Carbon oxides nitrogen oxides (NO_x) . 5.3 Advice for firefighters **Special Protective Equipment:** 5.3.1 Wear positive pressure self-contained breathing apparatus. Wear full protective clothing. 5.3.2 Additional Information: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Page 3 of 6

	-,				
Comp		ronto CremaClean ternational GmbH, Grundstrasse 41, 8196 Wil, Switzerland 1, Date of issue: 28.08.2019 Replaces Data Sheet of: 14.08.2019			
	ON 6: Accidental relea				
5.1	Personal precautions, protective equipment and emergency procedures				
	See chapter 8.2.2				
		s will be extremely slippery.			
5.2	Environmental precaut	ions			
	Do not contaminate water. Local authorities should be advised if significant spillages cannot be contained.				
5.3	Methods and material for containment and cleaning up				
5.0	Soak up with inert absorbent material (e.g. sand, universal binder, sawdust).				
	Shovel into suitable container for disposal.				
6.4	Reference to other sec				
0.4	None.				
	NUTE.				
SECTI	ON 7: Handling and st	 Drage			
7.1	Precautions for safe h				
7.1.1	Precautions for Safe H	landling:			
	Avoid contact with skin	Avoid contact with skin and eyes. Take off all contaminated clothing immediately.			
		, drink or smoke. Wash hands before breaks and at the end of workday.			
		add the product to water. Never add water to the product.			
7.1.2	Precautions in Case of				
		reventive fire protection.			
7.2		prage, including any incompatibilities			
7.2.1		nage, meluling any meetinpalismees			
/.Z.I		Storage Instructions:			
	Keep container tightly closed in a dry and well-ventilated place.				
7 0 0	Keep in an area equipped with alkali resistant flooring.				
7.2.2	Store away from:				
		s. strong oxidizing agents			
7.2.3	Further Information on	Storage Conditions:			
	None.				
7.3	Specific end use(s)				
	n.av.				
SECTI	ON 8: Exposure contro	ls/personal protection			
8.1	Control parameters				
	Material	Limit Value			
8.2	Exposure controls				
8.2.1	Appropriate engineerir				
	Provide appropriate ext	naust ventilation at machinery.			
8.2.2	Individual protection m				
8.2.2a	Respiratory Protection	: Not required under normal use.			
3.2.2b	Hand Protection:	Protective gloves complying with EN 374.			
		Butyl-rubber (0,5 mm) break through time > 8 h			
		The data about break through time/strength of material are standard values!			
		The exact break through time/strength of material has to be obtained from the			
		producer of the protective glove.			
		Please observe the instructions regarding permeability and breakthrough time			
		which are provided by the supplier of the gloves. Also take into consideration the			
		specific local conditions under which the product is used, such as the danger			
		of cuts, abrasion, and the contact time.			
3.2.2c	Eye Protection:	Tightly fitting safety goggles			
3.2.2d	Skin Protection:	Long sleeved clothing			
3.2.2e	Further Information:	Observe wearing time limits:			
3.2.3	Environmental exposu	-			
.2.0	n.av.				
	11.av.				

Page 4 of 6

Information on basic physical and chemical properties Form: liquid Colour: colourless - light yellow Odour: charactering Defense of the second light yellow Image (°C): n.av. No. Igens of the second light yellow No. Explosion limits (Vol.%) lower: <td co<="" th=""></td>			
light yellowOdour threshold: n.av.pH-value, undiluted:10,5 – 11pH-value, 1% aqueous solution:n.av.Boiling point / Boiling - range (°C):n.av., Melting point / Melting range (°C): n.av.Flash point (°C):n.av., Melting point / Melting range (°C): n.av.Flammability (EEC A10/A13):No.Ignition temperature (°C):n.av.Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap.0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.Vapour density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.ap.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
pH-value, undiluted:10,5 - 11pH-value, 1% aqueous solution:n.av.Boiling point / Boiling - range (°C):n.av., Melting point / Melting range (°C): n.av.Flash point (°C):n.av., Melting point / Melting range (°C): n.av.Flammability (EEC A10/A13):No.Ignition temperature (°C):n.av.Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap.0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.2Density (Air = 1):n.av.3Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
pH-value, 1% aqueous solution:n.av.Boiling point / Boiling - range (°C):n.av., Melting point / Melting range (°C): n.av.Flash point (°C):n.av., Melting point / Melting range (°C): n.av.Flammability (EEC A10/A13):No.Ignition temperature (°C):n.av.Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap., upper: n.av.Vapour pressure:n.av.Vapour density (Air = 1):n.av.Density (g/ml):~ 1Solubility (in Water):misciblePartition coefficient, n-Octanol / Water:n.av.Viscosity:n.av.Thermal decomposition (°C):n.av.Evaporation rate:n.av.			
pH-value, 1% aqueous solution:n.av.Boiling point / Boiling - range (°C):n.av., Melting point / Melting range (°C): n.av.Flash point (°C):n.av., Melting point / Melting range (°C): n.av.Flammability (EEC A10/A13):No.Ignition temperature (°C):n.av.Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap., upper: n.av.Vapour pressure:n.av.Vapour density (Air = 1):n.av.Density (g/ml):~ 1Solubility (in Water):misciblePartition coefficient, n-Octanol / Water:n.av.Viscosity:n.av.Thermal decomposition (°C):n.av.Evaporation rate:n.av.			
Flash point (°C):n.ap., closed cupFlammability (EEC A10/A13):No.Ignition temperature (°C):n.av.Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap.0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.Vapour density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
Flammability (EEC A10/A13):No.Ignition temperature (°C):n.av.Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap.0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.Vapour density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.av.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
Ignition temperature (°C):n.av.Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap.D Explosion limits (Vol.%) lower:n.ap., upper: n.av.1 Vapour pressure:n.av.Vapour density (Air = 1):n.av.2 Density (g/ml):~ 13 Solubility (in Water):miscible4 Partition coefficient, n-Octanol / Water:n.av.5 Viscosity:n.av.6 Solvent content (m %):n.av.7 Thermal decomposition (°C):n.av.8 Evaporation rate:n.av.			
Autoflammability (EEC A16):No.Oxidising properties:No.Explosion hazard:n.ap.0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.Vapour density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
Oxidising properties:No.Explosion hazard:n.ap.0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.2Density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
Explosion hazard:n.ap.0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.2Density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
0Explosion limits (Vol.%) lower:n.ap., upper: n.av.1Vapour pressure:n.av.2Density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
1Vapour pressure:n.av.Vapour density (Air = 1):n.av.2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
2Density (g/ml):~ 13Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
3Solubility (in Water):miscible4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
4Partition coefficient, n-Octanol / Water:n.av.5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
5Viscosity:n.av.6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
6Solvent content (m %):n.ap.7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
7Thermal decomposition (°C):n.av.8Evaporation rate:n.av.			
8 Evaporation rate: n.av.			
Other information			
n.av.			
TION 10: Stability and reactivity			
Reactivity			
No information available.			
Chemical stability			
Stable under normal conditions.			
Possibility of hazardous reactions			
No dangerous reaction known under conditions of normal use.			
Conditions to avoid			
No conditions to be specially mentioned. Incompatible materials			
Incompatible materials Incompatible with strong acids and oxidizing agents.			
Hazardous decomposition products			
No decomposition if stored and applied as directed.			
To avoid thermal decomposition, do not overheat.			

Page 5 of 6

Trade Name: ceragol Ultra® Pronto CremaClean

Company / Supplier: ceragol international GmbH, Grundstrasse 41, 8196 Wil, Switzerland Telephone: +41 (0)44 879 16 31, Date of issue: 28.08.2019 Replaces Data Sheet of: 14.08.2019

SECTIC	ON 11: Toxicological information				
1.1	Information on toxicological effects				
	Acute Health Effects:				
	Inhalation:	n.av.			
	Ingestion:	n.av.			
	Skin Contact:	n.av.			
	Skin corrosion / irritation:	Causes skin irritation.			
ł	Serious eye damage / irritation:	Causes serious eye irritation.			
	Respiratory or skin sensitisation:	n.av.			
	Germ cell mutagenicity:	n.av.			
	Carcinogenicity:	n.av.			
	Reproductive toxicity:	n.av.			
	STOT-single exposure:	n.av.			
	STOT-repeated exposure:	n.av.			
	Aspiration hazard:	n.av.			
11.1.1 -	Practical Experience				
11.1.11					
	Practical Experience				
	Observations relevant for classification:				
	None.				
	Further Observations:				
	None.				
	Classification of the preparation has been done by calculation in accordance with EEC directives.				
	DN 12: Ecological information				
12.1	Toxicity				
10.0	We have no quantitative data concerning	the ecological effects of this product.			
12.2	Persistence and degradability				
*	Contained tenside is more than 60% biodegradable.				
Solutions with high pH-value must be neutralized before discharge.Bioaccumulative potential					
				12.4	n.av. Mobility in soil
12.4	n.av.				
12.5					
12.0	Results of PBT and vPvB assessment This mixture contains no substances which are assessed to be PBT or vPvB.				
12.6	Other adverse effects				
12.6.1	COD-Value, mg/g:	n av			
12.6.2	BOD5-Value, mg/g:	n.av. n.av.			
12.6.3	AOX-Remarks:				
	Significant Components:				
12.6.5	Other adverse effects:	Not applicable.			
12.0.0	other develoc checto.	Not applicable.			
SECTIO	ON 13: Disposal considerations				
13.1	Waste treatment methods				
13.1.1	Recommendation: D10	Waste - Code - No.: 20 01 29			
		The Waste code should be assigned in discussion			
		between the user, the producer and the waste disposal			
		company.			
	In addition comply with the regional auth	orities.			
13.2	Contaminated Packaging				
13.2.1		cleaner. Otherwise as described under Residues.			
13.2.2	Safe Handling: As described under I				
	5				

Page 6 of 6

Trade Name: ceragol Ultra® Pronto CremaClean Company / Supplier: ceragol international GmbH, Grundstrasse 41, 8196 Wil, Switzerland Telephone: +41 (0)44 879 16 31, Date of issue: 28.08.2019 Replaces Data Sheet of: 14.08.2019 SECTION 14: Transport information IMDG ADR ΙΑΤΑ Not a dangerous substance as defined in the above regulations.¹⁾ The information is based on our own tests. 14.1 **UN number** 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 **Environmental hazards** 14.6 Special precautions for user Transport category: Packing Instructions **Classification Code:** (Passenger) Hazard - No.: LO: Packing Instructions (Cargo) 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code SECTION 15: Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 n.av. 15.2Chemical safety assessment : n.ap. SECTION 16: Other information Text of H phrases mentioned in Section 3 H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. Literature: 1) Prüfprogramm Nr. 15, InnoCent International GmbH, Eimeldingen, Germany This datasheet has been compiled in accordance with EU regulation 2015/830. The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's

properties. They must neither be altered nor transferred to other products. Prepared by: CoSiChem AG, Ernst-Lemmer-Straße 23, 35041 Marburg, info@cosichem.de, +49 6421 97905 0 Receipt of Data: 21.08.2019, \$ctg_0038

